

Jacuzzi

Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



**MODEL
COMPARISONS**

Model	J-480	GENEVA
Suggested Retail Price		
Seating Capacity	6 Adults	6 Adults
Dimensions	94.0" (239cm) x 94.0" (239cm) x 39.0" (99cm)	89.0" (226cm) x 89.0" (226cm) x 38" (96cm)
Water Capacity	570 US gallons (2,158 liters)	475 gallons /1,795 liters
Dry/ Filled Weight	950 lbs (431 kg) /5,707 lbs (2,589 kg)	920 lbs. / 5,915 lbs (include occupants @175lbs each)
Electrical Requirements	240V 3-Wire 30A/50A/60A	230v 30 or 50 Amp
WaterColour™ Waterfall	Standard: (2) Adjustable Cascading Waterfalls	Waterfall
ProLites™ LED Lighting System	Standard: Cupholders, Waterfalls, IX Jet, Jacuzzi Logo	Interior and exterior, dimable
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, (4) Speakers+Sub, Remote	Optional: multiple source with MP3
Apple® iPod Docking Station	Apple® Certified Enclosure (included with Aquasound)	Not Available
Stainless Steel Jet Accents	Standard: Factory-Installed	Standard:
Adjustable Headrests	Standard: (4)	Not Available
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standar Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Resin: Redwood, Gray, Merlot
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Filled
Titanium Heater	5.5kW; Unconditional 5-Year Warranty	Not Available
ProTech® Controls	Intuitive LCD Multi-function Control	Advent control with auxiliary panel
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 only
ProClear® II Water Management System	Standard: ProStream® 35 GPM Pump	Not Available/ Standard 5 gpm Circualtion Pump
ProClear® Skimmer	Standard	Not Available/ Small Floating Wier
ProCatch® Filter	Standard	Not Available/ 100 Sq Ft Cartridge
PowerPro® Therapy Lounge	Standard: (1)	Standard
PowerPro® FX-10 Therapy Seat	Standard: (1)	Not Available
PowerPro® MX2 Jets	Standard: (3)	Not Available
PowerPro® FX2-S Jets	Standard: (6)	Not Available
PowerPro® RX Jets	Standard: (6)	Not Available
Total PowerPro® Therapy Jets	48	43
Hydrotherapy Pump 1	PowerPro® 56 Frame 1-Speed 2.5 hp (5.1 bhp) [†]	ReliFlo: 2.5hp (4.8bhp)
Hydrotherapy Pump 2	PowerPro® 56 Frame 1-Speed 2.5 hp (5.1 bhp) [†]	ReliFlo: 2.5hp (4.8bhp)

©2008 Jacuzzi® Hot Tubs Reproduction is strictly prohibited without prior written consent. The information contained in this document is provided for assessment purposes only and is subject to change without notice. Information about competitive products used in these comparisons is derived from public sources and may not be completely current or accurate. Jacuzzi® Hot Tubs will not be liable for reliance on this information.
VERSION: N. AMERICAN REVISED: June 26, 2009 11:17 AM †Pump Ratings: hp=Continuous Horsepower, (bhp=Brake Horsepower) *MSRP- Estimated

Jacuzzi

CELEBRATING
50
YEARS
OF HYDROTHERAPY



**MODEL
COMPARISONS**



Competitive Brand



Model	J-480	ELATION
Suggested Retail Price		
Seating Capacity	6 Adults	6 Adults
Dimensions	94.0" (239cm) x 94.0" (239cm) x 39.0" (99cm)	91.0" (231 cm) x 91.0" (231 cm) x 38" (96 cm)
Water Capacity	570 US gallons (2,158 liters)	500 gallons / 1,893 liters
Dry/ Filled Weight	950 lbs (431 kg) / 5,707 lbs (2,589 kg)	930 lbs. / 6,135 lbs (include occupants @175lbs each)
Electrical Requirements	240V 3-Wire 30A/50A/60A	230v 30 or 50 Amp
WaterColour™ Waterfall	Standard: (2) Adjustable Cascading Waterfalls	Waterfall Jet Pump Driven
ProLites™ LED Lighting System	Standard: Cupholders, Waterfalls, IX Jet, Jacuzzi Logo	Spa Glo, interior and exterior dimable
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, (4) Speakers+Sub, Remote	Optional: multiple source with MP3, sub woofer
Apple® iPod Docking Station	Apple® Certified Enclosure (included with Aquasound)	Not Available
Stainless Steel Jet Accents	Standard: Factory-Installed	Standard:
Adjustable Headrests	Standard: (4)	Not Available
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standard Acrylic Spa Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Resin: Redwood, Gray, Merlot
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Filled
Titanium Heater	5.5kW; Unconditional 5-Year Warranty	Not Available
ProTech® Controls	Intuitive LCD Multi-function Control	Advent control with auxiliary panel
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 only
ProClear® II Water Management System	Standard: ProStream® 35 GPM Pump	Standard 5 gpm Circulation Pump
ProClear® Skimmer	Standard	Not available/ Small Round Floating Wier
ProCatch® Filter	Standard	Not Available/ 100 SQ FT Cartridge Filter
PowerPro® Therapy Lounge	Standard: (1)	Standard (1)
PowerPro® FX-10 Therapy Seat	Standard: (1)	Not Available
PowerPro® MX2 Jets	Standard: (3)	Not Available
PowerPro® FX2-S Jets	Standard: (6)	Not Available
PowerPro® RX Jets	Standard: (6)	Not Available
Total PowerPro® Therapy Jets	48	43
Hydrotherapy Pump 1	PowerPro® 56 Frame 1-Speed 2.5 hp (5.1 bhp)†	ReliFlo: 2.0hp (3.7bhp)
Hydrotherapy Pump 2	PowerPro® 56 Frame 1-Speed 2.5 hp (5.1 bhp)†	ReliFlo: 2.0hp (3.7bhp)

©2008 Jacuzzi® Hot Tubs. Reproduction is strictly prohibited without prior written consent. The information contained in this document is provided for assessment purposes only and is subject to change without notice. Information about competitive products used in these comparisons is derived from public sources and may not be completely current or accurate. Jacuzzi® Hot Tubs will not be liable for reliance on this information.
 VERSION: N. AMERICAN REVISÉD: June 26, 2009 11:17 AM †Pump Ratings: hp=Continuous Horsepower, (bhp=Brake Horsepower) *MSRP- Estimated



CELEBRATING
50
YEARS
OF HYDROTHERAPY



MODEL COMPARISONS



Competitive Brand



Model	J-470	NIAGARA
Suggested Retail Price		
Seating Capacity	6-7 Adults	7 Adults
Dimensions	91.0" (231cm) x 91.0" (231cm) x 39.0" (99cm)	89.0" (226 cm) x 89.0" (226 cm) x 38" (96 cm)
Water Capacity	535 US gallons (2,025 liters)	500 gallons/ 1,893 liters
Dry/ Filled Weight	865 lbs (393 kg) /5,385 lbs (2,443 kg)	920 lbs. / 6300 lbs, includes occupants @175 lbs each
Electrical Requirements	240V 3-Wire 30A/50A/60A	230v 30 or 50 amp
WaterColour™ Waterfall	Standard: (2) Adjustable Cascading Waterfalls	Waterfall/ Jet Pump Driven
ProLites™ LED Lighting System	Standard: Cupholders, Waterfalls, IX Jet, Jacuzzi Logo	Spa Glo, interior and exterior dimable
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, (4) Speakers+Sub, Remote	Optional: Multi-source or intergrated MP3 system
Apple® iPod Docking Station	Apple® Certified Enclosure (included with Aquasound)	Not Available
Stainless Steel Jet Accents	Standard: Factory-Installed	Standard
Adjustable Headrests	Standard: (4)	Not Available
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standrd Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Resin: Redwood, Gray, Merlot
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Filled
Titanium Heater	5.5kW; Unconditional 5-Year Warranty	Not Available
ProTech® Controls	Intuitive LCD Multi-function Control	Advent control system with auxiliary control
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 Only
ProClear® II Water Management System	Standard: ProStream® 35 GPM Pump	Not Available / Standard 5 gpm Circulation Pump
ProClear® Skimmer	Standard	Not Available/ Small Round Floating Wier
ProCatch® Filter	Standard	Not Available/ 100 Sq Ft filter
PowerPro® Therapy Lounge	Not Available	Standard
PowerPro® FX-10 Therapy Seat	Standard: (1)	Not Available
PowerPro® MX2 Jets	Standard: (3)	Not Available
PowerPro® FX2-S Jets	Standard: (5)	Not Available
PowerPro® RX Jets	Standard: (6)	Not Available
Total PowerPro® Therapy Jets	39	47
Hydrotherapy Pump 1	PowerPro® 56 Frame 1-Speed 2.5 hp (5.1 bhp)†	ReliaFlo 2.5 hp (4.8bhp)
Hydrotherapy Pump 2	PowerPro® 56 Frame 1-Speed 2.5 hp (5.1 bhp)†	ReliaFlo 2.5 hp (4.8bhp)

Jacuzzi

Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



**MODEL
COMPARISONS**



Model	J-465	TAHITIAN
Suggested Retail Price		
Seating Capacity	4-5 Adults	6 Adults
Dimensions	88.0" (224cm) x 88.0" (224cm) x 39.0" (99cm)	84.0" (213 cm) x 84.0" (213 cm) x 36" (91 cm)
Water Capacity	480 US gallons (1,817 liters)	360 gallons/ 1,211 liters
Dry/ Filled Weight	815 lbs (370 kg) /4,821 lbs (2,187 kg)	720 lbs. / 4,825 lbs (includes occupants @175 each)
Electrical Requirements	240V 3-Wire 30A/50A/60A	230 v 30 or 50 amp
WaterColour™ Waterfall	Standard: (1) Adjustable Cascading Waterfall	Waterfall/ Jet Pump Driven
ProLites™ LED Lighting System	Standard: Cupholders, Waterfall, IX Footwell Jet	Interior / Exterior dimmable
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, (4) Speakers+Sub, Remote	Multiple Source or Integrated MP3
Apple® iPod Docking Station	Apple® Certified Enclosure (included with Aquasound)	Not Available
Stainless Steel Jet Accents	Standard: Factory-Installed	Standard: Factor installed
Adjustable Headrests	Standard: (4)	Not Available
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standard Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Resin: Redwood, Merlot, Gray
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Filled
Titanium Heater	5.5kW; Unconditional 5-Year Warranty	Not Available
ProTech® Controls	Intuitive LCD Multi-function Control	Advent control with auxiliary panel
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001
ProClear® II Water Management System	Standard: ProStream® 35 GPM Pump	Not Available/ Standard 5 gpm Circulation Pump
ProClear® Skimmer	Standard	Not Available/ Small Round Floating Wier
ProCatch® Filter	Standard	Not Available/ 100 Sq Ft Cartridge
PowerPro® Therapy Lounge	Standard: (1)	Standard
PowerPro® FX-10 Therapy Seat	Standard: (1)	Not Available
PowerPro® MX2 Jets	Standard: (5)	Not Available
PowerPro® FX2-S Jets	Standard: (7)	Not Available
PowerPro® RX Jets	Standard: (6)	Not Available
Total PowerPro® Therapy Jets	37	45
Hydrotherapy Pump 1	PowerPro® 56 Frame 1-Speed 2.5 hp (5.1 bhp)†	Relia Flo 2.5hp (4.8bhp)
Hydrotherapy Pump 2	PowerPro® 56 Frame 1-Speed 2.5 hp (5.1 bhp)†	Relia Flo 2.5hp (4.8bhp)

Jacuzzi

Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



JACUZZI HOT TUBS

**MODEL
COMPARISONS**



Model	J-375	C45
Suggested Retail Price		
Seating Capacity	6 Adults	6 Adults
Dimensions	91.0" (231cm) x 91.0" (231cm) x 38.0" (97cm)	89.0" (226 cm) x 89.0" (226 cm) x 38" (96 cm)
Water Capacity	530 US gallons (2,006 liters)	475 gallons / 1,798 liters
Dry/ Filled Weight	960 lbs (435 kg) /5,383 lbs (2,442 kg)	920 lbs / / 5,915lbs including occupants at 175lbs each
Electrical Requirements	240V 3-Wire 40A/50A/60A	230 v 30 or 50 amp
Water Rainbow® Waterfall	Standard: (1) Adjustable Laminar Waterfall	Variable Flow Waterfall/ Jet Pump Driven
ProLites™ LED Lighting System	Standard: Interior, Headrests, Beverage, Waterfall	Mystique Multi-color LED lighting
ProLites™ LED Exterior Lighting	Optional: (4) Exterior LED Accent Lights	Optional
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, Digital Spa Remote	Optional multiple source or Integrated MP3
AquaSound™ MicroSpeakers	(4) Integrated Premium Speakers +Deep Bass Subwoofer	Optional: (4) Integrated Speakers
Stainless Steel Jet Trim	Optional: Factory-Installed	Standard
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standard Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Resin skirt: limited colors Redwood, Gray
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Fill
Stainless Steel Heater	5.5kW; Unconditional 5-Year Warranty	Not Available
ProTech® Controls	LED Multi-function Control	Solid State
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 Only
ProClear® Water Management System	Standard: 24-Hour Circulation	Standard: 24-Hour Circulation
ProClear® CD Ozone	Optional	Standard
ProAir Lounge Seat	Standard: (1)	Lounger
PowerPro® FX-10 Therapy Seat	Standard: (1)	Not Available
PowerPro® MX Therapy Seat	Standard: (1)	Not Available
PowerPro® FX Jets	Standard: (20)	Not Available
PowerPro® FX2-S Jets	Standard: (4)	Not Available
PowerPro® MX Jets	Standard: (5)	Not Available
Total PowerPro® Therapy Jets	46	45
Hydrotherapy Pump 1	PowerPro® 48 Frame 2-Speed 2.5 hp (4.5 bhp) [†]	ReliFlo 2.5 hp (4.8bhp) 2 speed
Hydrotherapy Pump 2	PowerPro® 48 Frame 1-Speed 2.5 hp (4.8 bhp) [†]	ReliFlo 2.5 hp (4.8bhp) 1 speed

©2008 Jacuzzi® Hot Tubs. Reproduction is strictly prohibited without prior written consent. The information contained in this document is provided for assessment purposes only and is subject to change without notice. Information about competitive products used in these comparisons is derived from public sources and may not be completely current or accurate. Jacuzzi® Hot Tubs will not be liable for reliance on this information.
 VERSION: N. AMERICAN REVISÉD: June 26, 2009 11:17 AM †Pump Ratings: hp=Continuous Horsepower, (bhp=Brake Horsepower) *MSRP- Estimated



Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



MODEL COMPARISONS



Model	J-365	HAWAIIAN
Suggested Retail Price		
Seating Capacity	6-7 Adults	7 Adults
Dimensions	91.0" (231cm) x 84.0" (213cm) x 38.0" (97cm)	84.0" (213 cm) x 84.0" (213 cm) x 36" (91 cm)
Water Capacity	500 US gallons (1,893 liters)	380 gallons/ 1,438 liters
Dry/ Filled Weight	887 lbs (403 kg) /5,060 lbs (2,295 kg)	800lbs. / 5,180lbs includes occupants at 175 lbs each
Electrical Requirements	240V 3-Wire 40A/50A/60A	230v 30 or 50Amp
Water Rainbow® Waterfall	Standard: (1) Adjustable Laminar Waterfall	Waterfall/ Jet Pump Driven
ProLites™ LED Lighting System	Standard: Interior, Headrests, Beverage, Waterfall	Blue Underwater Light, Optional Spa Glo
ProLites™ LED Exterior Lighting	Optional: (4) Exterior LED Accent Lights	Optional
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, Digital Spa Remote	Optional: Multi-source or integrated MP3
AquaSound™ MicroSpeakers	(4) Integrated Premium Speakers +Deep Bass Subwoofer	Not Available
Stainless Steel Jet Trim	Optional: Factory-Installed	Standard: Stainless steel
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standard Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Resin: Redwood, Gray
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Filled
Stainless Steel Heater	5.5kW; Unconditional 5-Year Warranty	Not Available
ProTech® Controls	LED Multi-function Control	Advent controls
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 Only
ProClear® Water Management System	Standard: 24-Hour Circulation Pump	Standard/ 75 Sq ft Cartridge Filter
ProClear® CD Ozone	Optional: Corona Discharge	Standard
ProAir Lounge Seat	Not Available	Not Available
PowerPro® FX-10 Therapy Seat	Standard: (1)	Optional
PowerPro® MX Therapy Seat	Standard: (1)	Not Available
PowerPro® FX Jets	Standard: (23)	Not Available
PowerPro® FX2-S Jets	Standard: (6)	Not Available
PowerPro® MX Jets	Standard: (3)	Not Available
Total PowerPro® Therapy Jets	32	31
Hydrotherapy Pump 1	PowerPro® 48 Frame 2-Speed 2.5 hp (4.5 bhp) [†]	ReliaFlo 2.0 hp(3.7bhp)
Hydrotherapy Pump 2	PowerPro® 48 Frame 1-Speed 2.5 hp (4.8 bhp) [†]	ReliaFlo 2.0 hp(3.7bhp)



Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



MODEL COMPARISONS



Model	J-355	MOOREA
Suggested Retail Price		
Seating Capacity	5-6 Adults	6 Adults
Dimensions	91.0" (231cm) x 84.0" (213cm) x 38.0" (97cm)	91.0" (231cm) x 84.0" (213cm) x 36.0" (91cm)
Water Capacity	485 US gallons (1,836 liters)	420 Gallons / 1,598 liters
Dry/ Filled Weight	882 lbs (400 kg) /4,929 lbs (2,236 kg)	870 Lbs./5,490Lbs. Includes occupants 175 lbs. each
Electrical Requirements	240V 3-Wire 40A/50A/60A	230 v 30 or 50 amp
Water Rainbow® Waterfall	Standard: (1) Adjustable Laminar Waterfall	Waterfall/ Jet Pump Driven
ProLites™ LED Lighting System	Standard: Interior, Headrests, Beverage, Waterfall	Blue underwater light, interior dimmable
ProLites™ LED Exterior Lighting	Optional: (4) Exterior LED Accent Lights	Optional
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, Digital Spa Remote	Optional: multiple source or integrated MP3
AquaSound™ MicroSpeakers	(4) Integrated Premium Speakers +Deep Bass Subwoofer	Not Included
Stainless Steel Jet Trim	Optional: Factory-Installed	Stainless Steel jet rings
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standard Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Limited selection: Redwood, Gray
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam-Fill
Stainless Steel Heater	5.5kW; Unconditional 5-Year Warranty	Not Available
ProTech® Controls	LED Multi-function Control	Advent control system
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 only
ProClear® Water Management System	Standard: 24-Hour Circulation Pump	Standard: 24-Hour Circulation 75 SqFt Cartridge
ProClear® CD Ozone	Optional: Corona Discharge	Optional
ProAir Lounge Seat	Standard: (1)	Not Available
PowerPro® FX-10 Therapy Seat	Standard: (1)	Not Available
PowerPro® MX Therapy Seat	Standard: (1)	Not Available
PowerPro® FX Jets	Standard: (19)	Not Available
PowerPro® FX2-S Jets	Standard: (4)	Not Available
PowerPro® MX Jets	Standard: (5)	Not Available
Total PowerPro® Therapy Jets	40	39
Hydrotherapy Pump 1	PowerPro® 48 Frame 2-Speed 2.5 hp (4.5 bhp) [†]	ReliaFlo 2.0 HP (3.7 bhp)
Hydrotherapy Pump 2	PowerPro® 48 Frame 1-Speed 2.5 hp (4.8 bhp) [†]	ReliaFlo 2.0 HP (3.7 bhp)



Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



MODEL COMPARISONS



Model	J-345	HAWAIIAN
Suggested Retail Price		
Seating Capacity	4-5 Adults	7 Adults
Dimensions	84.0" (213cm) x 84.0" (213cm) x 36.0" (91cm)	84.0" (213 cm) x 84.0" (213 cm) x 36" (91 cm)
Water Capacity	458 US gallons (1,734 liters)	380 gallons/ 1,438 liters
Dry/ Filled Weight	822 lbs (373 kg) /4,644 lbs (2,107 kg)	800lbs. / 5,180lbs includes occupants at 175 lbs each
Electrical Requirements	240V 3-Wire 40A/50A/60A	230v 30 or 50Amp
Water Rainbow® Waterfall	Standard: (1) Adjustable Laminar Waterfall	Waterfall/ Jet Pump Driven
ProLites™ LED Lighting System	Standard: Interior, Headrests, Beverage, Waterfall	Blue Underwater Light, Optional Spa Glo
ProLites™ LED Exterior Lighting	Optional: (4) Exterior LED Accent Lights	Optional
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, Digital Spa Remote	Optional: Multi-source or integrated MP3
AquaSound™ MicroSpeakers	(4) Integrated Premium Speakers +Deep Bass Subwoofer	Not Available
Stainless Steel Jet Trim	Optional: Factory-Installed	Standard: Stainless steel
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standard Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Resin: Redwood, Gray
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Filled
Stainless Steel Heater	5.5kW; Unconditional 5-Year Warranty	Not Available
ProTech® Controls	LED Multi-function Control	Advent controls
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 Only
ProClear® Water Management System	Standard: 24-Hour Circulation Pump	Standard/ 75 Sq ft Cartridge Filter
ProClear® CD Ozone	Optional: Corona Discharge	Standard
ProAir Lounge Seat	Not Available	Not Available
PowerPro® FX-10 Therapy Seat	Standard: (1)	Optional
PowerPro® MX Therapy Seat	Standard: (1)	Not Available
PowerPro® FX Jets	Standard: (18)	Not Available
PowerPro® FX2-S Jets	Standard: (4)	Not Available
PowerPro® MX Jets	Standard: (5)	Not Available
Total PowerPro® Therapy Jets	27	31
Hydrotherapy Pump 1	PowerPro® 48 Frame 2-Speed 2.5 hp (4.5 bhp)†	ReliaFlo 2.0 hp(3.7bhp)
Hydrotherapy Pump 2	PowerPro® 48 Frame 1-Speed 2.5 hp (4.8 bhp)†	ReliaFlo 2.0 hp(3.7bhp)



Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



MODEL COMPARISONS



Model	J-335	MARTINIQUE
Suggested Retail Price		
Seating Capacity	4-5 Adults	5 Adults
Dimensions	84.0" (213cm) x 84.0" (213cm) x 36.0" (91cm)	89.0" (213 cm) x 76.0" (193 cm) x 34" (86 cm)
Water Capacity	453 US gallons (1,718 liters)	320 gallons / 1,211 liters
Dry/ Filled Weight	812 lbs (368 kg) /4,592 lbs (2,083 kg)	710 lbs. /4,220 lbs. including occupants at 175lbs each
Electrical Requirements	240V 3-Wire 40A/50A/60A	230 v 30 or 50 amp
Water Rainbow® Waterfall	Standard: (1) Adjustable Laminar Waterfall	Waterfall/ Jet Pump Driven
ProLites™ LED Lighting System	Standard: Interior, Headrests, Beverage, Waterfall	Blue Light, Interior Dimable. Optional Spa Glo
ProLites™ LED Exterior Lighting	Optional: (4) Exterior LED Accent Lights	Optional
AquaSound™ Spa Audio System	Optional: AM/FM/CD/MP3 input, Digital Spa Remote	Multi-Source or Integrated MP3
AquaSound™ MicroSpeakers	(4) Integrated Premium Speakers +Deep Bass Subwoofer	Not Available
Stainless Steel Jet Trim	Optional: Factory-Installed	Standard:factory installed
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available/ Standard Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Resin: Redwood, Gray
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam filled
Stainless Steel Heater	5.5kW; 5-Year Warranty	Not Available
ProTech® Controls	LED Multi-function Control	Advent controls
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 Only
ProClear® Water Management System	Standard: 24-Hour Circulation Pump	24-Hour Circulation Pump 50 Sq Ft Cartridge
ProClear® CD Ozone	Optional: Corona Discharge	Optional
ProAir Lounge Seat	Standard: (1)	Not Available/ 50 Sq Ft Cartridge
PowerPro® FX-10 Therapy Seat	Standard: (1)	Lounger
PowerPro® MX Therapy Seat	Not Available	Not Available
PowerPro® FX Jets	Standard: (18)	Not Available
PowerPro® FX2-S Jets	Standard: (4)	Not Available
PowerPro® MX Jets	Standard: (2)	Not Available
Total PowerPro® Therapy Jets	36	30
Hydrotherapy Pump 1	PowerPro® 48 Frame 2-Speed 2.5 hp (4.5 bhp)†	Reliaflo 2.0 hp (3.7bhp)
Hydrotherapy Pump 2	PowerPro® 48 Frame 1-Speed 2.5 hp (4.8 bhp)†	Reliaflo 2.0 hp (3.7bhp)



CELEBRATING
50
YEARS
OF HYDROTHERAPY



MODEL COMPARISONS



Competitive Brand



Model	J-315	SAN GABRIEL
Suggested Retail Price		
Seating Capacity	2-3 Adults	5 Adults
Dimensions	76.0" (193cm) x 66.0" (168cm) x 32.0" (81cm)	70.0" (178 cm) x 80.0" (203 cm) x 34.0" (86 cm)
Water Capacity	274 US gallons (1,037 liters)	290 Gallons/ 1,060 liters
Dry/ Filled Weight	500 lbs (227 kg) /2,787 lbs (1,264 kg)	540 lbs. (259 kg) / 2,047lbs (1,630 kg)
Electrical Requirements	120V 3-Wire 15A or 240V 4-Wire 30A/40A	115 v 20 amp / 230v 50 amp
Water Rainbow® Waterfall	Standard: (1) Adjustable Laminar Waterfall	Not Available
ProLites™ LED Lighting System	Standard: Interior, Headrests, Beverage, Waterfall	Blue LED
ProLites™ LED Exterior Lighting	Optional: (4) Exterior LED Accent Lights	Optional
AquaSound™ Spa Audio System	Not Available	Wireless multiple source source or integated MP3
AquaSound™ MicroSpeakers	Not Available	Not Available
Stainless Steel Jet Trim	Optional: Factory-Installed	Stainless Steel Jet Rings
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Limited Selection: Redwood, Gray
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Filled
Stainless Steel Heater	5.5kW; 5-Year Warranty	Not Available
ProTech® Controls	LED Multi-function Control	Solid State
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	3 yr Structural / 1 yr Surface/ 1 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 only
ProClear® Water Management System	Standard: 24-Hour Circulation Pump	24-Hour Circulation Pump 50 Sq Ft Filter
ProClear® CD Ozone	Optional: Corona Discharge	Optional
ProAir Lounge Seat	Standard: (1) w/o BX Jets	Standard Lounge
PowerPro® FX-10 Therapy Seat	Standard: (1)	Not Available
PowerPro® MX Therapy Seat	Standard: (1)	Not Available
PowerPro® FX Jets	Standard: (6)	Not Available
PowerPro® FX2-S Jets	Standard: (7)	Not Available
PowerPro® MX Jets	Not Available	Not Available
Total PowerPro® Therapy Jets	13	19
Hydrotherapy Pump 1	PowerPro® 48 Frame 1-Speed 1.5 hp (2.5 bhp) [†]	ReliaFlo 1.5 hp (2.6bhp)
Hydrotherapy Pump 2	Not Available	Not Available

CELEBRATING
50
YEARS
OF HYDROTHERAPY



JACUZZI HOT TUBS

MODEL COMPARISONS



Competitive Brand



Model	J-315	KAUAI
Suggested Retail Price		
Seating Capacity	2-3 Adults	3 Adults
Dimensions	76.0" (193cm) x 66.0" (168cm) x 32.0" (81cm)	60.0" (165 cm) x 84.0" (213 cm) x 29" (74cm)
Water Capacity	274 US gallons (1,037 liters)	200 gallons / 757 liters
Dry/ Filled Weight	500 lbs (227 kg) / 2,787 lbs (1,264 kg)	610 lbs / 2,795 lbs includes occupants at 175 lbs each
Electrical Requirements	120V 3-Wire 15A or 240V 4-Wire 30A/40A	230 v 30 or 50 amp
Water Rainbow® Waterfall	Standard: (1) Adjustable Laminar Waterfall	Waterfall/ Jet Pump Driven
ProLites™ LED Lighting System	Standard: Interior, Headrests, Beverage, Waterfall	Blue underwater, interior, Optional SpaGlo
ProLites™ LED Exterior Lighting	Optional: (4) Exterior LED Accent Lights	Optional
AquaSound™ Spa Audio System	Not Available	Wireless multiple source source or integrated MP3
AquaSound™ MicroSpeakers	Not Available	Not Available
Stainless Steel Jet Trim	Optional: Factory-Installed	Stainless Steel Jet Rings
TriFusion™ Shell	Standard: 10-year Structural Warranty	Not Available
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat, Roasted Chestnut	Limited Selection: Redwood, Gray
ProPolymer Foundation	Standard: Sealed Pan	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Filled
Stainless Steel Heater	5.5kW; 5-Year Warranty	Not Available
ProTech® Controls	LED Multi-function Control	Advent control system
Warranty	10 Yr Structural / 7 Yr Surface / 5 Yr Component	10 yr Structural / 7 yr Surface/ 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001 only
ProClear® Water Management System	Standard: 24-Hour Circulation Pump	24-Hour Circulation Pump 50 Sq Ft Filter
ProClear® CD Ozone	Optional: Corona Discharge	Optional
ProAir Lounge Seat	Standard: (1) w/o BX Jets	Standard Lounge
PowerPro® FX-10 Therapy Seat	Standard: (1)	Not Available
PowerPro® MX Therapy Seat	Standard: (1)	Not Available
PowerPro® FX Jets	Standard: (6)	Not Available
PowerPro® FX2-S Jets	Standard: (7)	Not Available
PowerPro® MX Jets	Not Available	Not Available
Total PowerPro® Therapy Jets	13	27
Hydrotherapy Pump 1	PowerPro® 48 Frame 1-Speed 1.5 hp (2.5 bhp) [†]	ReliaFlo 1.5 hp (2.6bhp)
Hydrotherapy Pump 2	Not Available	Not Available



Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



MODEL COMPARISONS



Model	J-230	OLYMPIA
Suggested Retail Price		
Seating Capacity	5 Adults	6 Adults
Dimensions	84.0" (213cm) x 84.0" (213cm) x 36.0" (91cm)	84.0" (213 cm) x 84.0" (213 cm)x 36"(91 cm)
Water Capacity	430 US gallons (1,627 liters)	360 gallons/ 1,363 liters
Dry/ Filled Weight	728 lbs (330 kg) /4,316 lbs (1,958 kg)	706 lbs. / 4,744 lbs. Includes occupants at 175 each
Electrical Requirements	240V 3-Wire 40A/50A	230 v 30 or 50 Amp
Classic Waterfall	Standard: (1) Adjustable Waterfall	Standard: (1) Adjustable Waterfall
Spa Light	Standard: Footwell Light w/ (2) Colored Lenses	Blue LED
Multi-Color LED Lighting Package	Optional: (22) Waterline + Waterfall + Footwell Light	Optional Mystique LED lighting
Classic Spa Stereo System	Optional: AM/FM/CD/MP3 input	Optional Multiple source or integrated MP3
Integrated Speakers	(4) Marine-Grade Speakers	Not Available
Stainless Steel Jet Trim	Optional: Factory-Installed	Standard
Full-body Lounge Seat	Standard: (1)	Standard: (1)
Built-in Headrests	Standard: (3)	Standard: (3)
TriFusion™ Shell	Standard: 5-year Structural Warranty	Not Available/ Standard Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat	Limited Colors: Redwood, Gray
Sealed Bottom	Standard: Polypropylene Sheet	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Fill
Stainless Steel Heater	Standard: Hi-Flow 5.5kW; Optional Low-Flow w/ Circ Pump	4000 watt / 230 v
Warranty	5Yr Structural / 3 Yr Surface / 3 Yr Component	5 yr Structural / 2 yr Surface / 2 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001
Water Management System	Standard: Programmable Filter Cycles	Standard: Programmable Filter Cycles
24-Hour Circulation Pump	Optional: Factory-Installed	Not Available
CD Ozone	Optional	Optional
Total Therapy Jets	25	28
Total Therapy Pumps	1	2
Hydrotherapy Pump 1	PowerPro® 48 Frame 2-Speed 2.5 hp (4.5 bhp) [†]	1.5 hp (2.6bhp)
Hydrotherapy Pump 2	Not Available	1.5hp (2.6 bhp)



Competitive Brand

CELEBRATING
50
YEARS
OF HYDROTHERAPY



MODEL COMPARISONS



Model	J-230	C30/C30S
Suggested Retail Price		
Seating Capacity	5 Adults	6 adults
Dimensions	84.0" (213cm) x 84.0" (213cm) x 36.0" (91cm)	89.0" (226 cm) x 89.0"(226 cm) x 38.0"(96 cm)
Water Capacity	430 US gallons (1,627 liters)	475 gallons / 1,798 liters
Dry/ Filled Weight	728 lbs (330 kg) /4,316 lbs (1,958 kg)	920 lbs.(417 kg)/ 5,915 lbs (2,683 kg)
Electrical Requirements	240V 3-Wire 40A/50A	230v/30 or 50 Amp
Classic Waterfall	Standard: (1) Adjustable Waterfall	Standard: (1) Adjustable Waterfall
Spa Light	Standard: Footwell Light w/ (2) Colored Lenses	Blue LED
Multi-Color LED Lighting Package	Optional: (22) Waterline + Waterfall + Footwell Light	Optional Mystique LED lighting
Classic Spa Stereo System	Optional: AM/FM/CD/MP3 input	Optional Multiple source or integrated MP3
Integrated Speakers	(4) Marine-Grade Speakers	Not Available
Stainless Steel Jet Trim	Optional: Factory-Installed	Standard
Full-body Lounge Seat	Standard: (1)	Standard: (1)
Built-in Headrests	Standard: (3)	Standard: (3)
TriFusion™ Shell	Standard: 5-year Structural Warranty	Not Available/ Standard Acrylic Shell
ProEndure™ Cabinets	Autumn Red, Silverwood, Harvest Wheat	Limited Colors: Redwood, Gray
Sealed Bottom	Standard: Polypropylene Sheet	Not Available
Energy-Saving Insulation System	Multi-layer, (Multi-Density) Polyurethane Foam-Fill	Foam Fill
Stainless Steel Heater	Standard: Hi-Flow 5.5kW; Optional Low-Flow w/ Circ Pump	4000 watt / 230 v
Warranty	5Yr Structural / 3 Yr Surface / 3 Yr Component	10 yr Structural / 7 yr Surface / 5 yr Component
ISO 9001: 2008 Certification	Yes	ISO 9001
Water Management System	Standard: Programmable Filter Cycles	Standard: Programmable Filter Cycles
24-Hour Circulation Pump	Optional: Factory-Installed	Not Available
CD Ozone	Optional	Standard
Total Therapy Jets	25	30
Total Therapy Pumps	1	1
Hydrotherapy Pump 1	PowerPro® 48 Frame 2-Speed 2.5 hp (4.5 bhp) [†]	ReliaFlow -2speed, 2.5hp (4.8bhp)
Hydrotherapy Pump 2	Not Available	Not Available