

P R E M I U M

2002-2003 Dimension and Specification Handbook



J-380



J-370



J-360



J-350



J-340



J-330



J-320



J-310

Important Safety Instructions - All Models



© 2002 Jacuzzi Premium. Jacuzzi Premium may make product modifications and enhancements. Therefore, specifications may change without notice. Dimensions are approximate and for reference only.



CAUTION: Always measure each spa for exact dimensions before designing its foundational support and/or decking.



When designing a foundational support, always account for the following load factors:

1. Filled spa weight, plus (+)
2. Combined occupant weight at maximum seating capacity, plus (+)
3. Weight of support decking, when applicable.




The technical data give in this publication is for reference only. It implies no warranty of any kind.

Table of Contents

J-380 Specifications	1
<i>J-380 Jet Selector / Air Control Operation Diagram</i>	<i>2</i>
J-370 Specifications	3
<i>J-370 Jet Selector / Air Control Operation Diagram</i>	<i>4</i>
J-360 Specifications	5
<i>J-360 Jet Selector / Air Control Operation Diagram</i>	<i>6</i>
J-350 Specifications	7
<i>J-350 Jet Selector / Air Control Operation Diagram</i>	<i>8</i>
J-340 Specifications	9
<i>J-340 Jet Selector / Air Control Operation Diagram</i>	<i>10</i>
J-330 Specifications	11
<i>J-330 Jet Selector / Air Control Operation Diagram</i>	<i>12</i>
J-320 Specifications	13
<i>J-320 Jet Selector / Air Control Operation Diagram</i>	<i>14</i>
J-310 Specifications	15
<i>J-310 Jet Selector / Air Control Operation Diagram</i>	<i>16</i>
Detailed Dimensions - All Models	17


Jacuzzi Premium J-380

Dimensions	94" x 94" x 38" (239 cm x 239 cm x 97 cm)	
Dry Weight	1,042 lbs (473 kg)	
Filled Weight	5,607 lbs (2,543 kg)	
Water Capacity (Avg. Fill)	550 US gallons (2,082 Liters)	
Electronic Controls	Solid State, LCD User Interface Displays Temperature, Time, Cycles, and Fingertip Jet Control. Offers Customizing of Preprogrammed Filtration Cycles and Water Temperature Setting. Also Includes 1 Remote Control Panel for Secondary Jet Control.	
Pump 1	2-Speed, 4.2 hp brake, 2.5 hp continuous	
Pump 2	1-Speed, 4.2 hp brake, 2.5 hp continuous	
Pump 3	1-Speed, 3.5 hp brake, 2.0 hp continuous	
Circulation Pump	Programmable for Daily Start Time and Duration	
Total PowerPro Jets	43	
Maxx PowerPro	7	
PowerPro	7	
Mini PowerPro	27	
Micro PowerPro	2	
Jet Selectors	2	
Air Controls	Five, On / Off Pushbutton Type	
Total Foot Jet Therapy	3	
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)	
Lighting	One Underwater LED ProLite with 7 Color Modes + Colored Waterfalls	
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain	
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver	
Headrests	5	
Waterfalls	Two with Independent Flow Rate / On-Off Adjustment; Powered by Pump 1	
Electrical Requirements	North American 60 Hz Models: 240 VAC @ 40A, 50A or 60A Export 50 Hz Models: 230-240 VAC @ 35A or 40A, or suitably rated circuit breaker to comply with local electrical codes. Certain countries may require dual power inputs; two breakers are required for this configuration.	
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls	
Seating Capacity	6 - 7	
Audio System (Optional)	AM/FM/CD Stereo Receiver with Dual Pop-Up Speakers	

Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-380

Jet Selector / Air Control Operation Diagram




Foot And Side Wall Jets Powered by Jet Pump 3

Seat Depths


A = 27.00" (68.6 cm) F = 17.50" (44.5 cm)
 B = 23.00" (58.4 cm) G = 27.50" (69.9 cm)
 C = 28.50" (72.4 cm) H = 27.00" (68.6 cm)
 D = 22.75" (57.8 cm) I = 33.50" (85.1 cm)
 E = 26.50" (67.3 cm)

Listed Dimensions Represent Distance from Top of Acrylic to Lowest Point in Seat.



Dimensions/Specifications Subject to Change Without Notice


Jacuzzi Premium J-370

Dimensions	91" x 91" x 38" (231 cm x 231 cm x 97 cm)	
Dry Weight	960 lbs (436 kg)	
Filled Weight	4,936 lbs (2,239 kg)	
Water Capacity (Avg. Fill)	479 US gallons (1,813 Liters)	
Electronic Controls	Solid State, LCD User Interface Displays Temperature, Time, Cycles, and Fingertip Jet Control. Offers Customizing of Preprogrammed Filtration Cycles and Water Temperature Setting. Also Includes 1 Remote Control Panel for Secondary Jet Control.	
Pump 1	2-Speed, 4.2 hp Brake, 2.5 hp Continuous	
Pump 2	1-Speed, 4.2 hp Brake, 2.5 hp Continuous	
Pump 3	N/A	
Circulation Pump	Programmable for Daily Start Time and Duration	
Total PowerPro Jets	34	
Maxx PowerPro	4	
PowerPro	5	
Mini PowerPro	23	
Micro PowerPro	2	
Jet Selectors	2	
Air Controls	Five, On / Off Pushbutton Type	
Total Foot Jet Therapy	5	
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)	
Lighting	One Underwater LED ProLite with 7 Color Modes + Colored Waterfalls	
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain	
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver	
Headrests	4	
Waterfalls	Two with Independent Flow Rate / On-Off Adjustment; Powered by Pump 1	
Electrical Requirements	North American 60 Hz Models: 240 VAC @ 30A, 50A or 60A Export 50 Hz Models: 230-240 VAC @ 20A, 30A, or 40A or suitably rated circuit breaker to comply with local electrical codes. Certain countries may require dual power inputs; two breakers are required for this configuration.	
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls	
Seating Capacity	6 - 7	
Audio System (Optional)	AM/FM/CD Stereo Receiver with Dual Pop-Up Speakers	

Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-370


Jet Selector / Air Control Operation Diagram



Seat Depths

- | | |
|----------------------------|----------------------------|
| A = 28.75" (73.0cm) | F = 19.00" (48.3cm) |
| B = 21.50" (54.6cm) | G = 27.00" (68.6cm) |
| C = 26.75" (67.9cm) | H = 26.50" (67.3cm) |
| D = 22.50" (57.2cm) | I = 34.00" (86.4cm) |
| E = 26.00" (66.0cm) | |

Listed Dimensions Represent Distance from Top of Acrylic to Lowest Point in Seat.



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-360


Dimensions	91" x 84" x 38" (231 cm x 213 cm x 97 cm)
Dry Weight	882 lbs (400 kg)
Filled Weight	3,895 lbs (1,767 kg)
Water Capacity (Avg. Fill)	363 US gallons (1,374 Liters)
Electronic Controls	Solid State, LCD User Interface Displays Temperature, Time, Cycles, and Fingertip Jet Control. Offers Customizing of Preprogrammed Filtration Cycles and Water Temperature Setting.
Pump 1	2-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 2	1-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 3	N/A
Circulation Pump	Programmable for Daily Start Time and Duration
Total PowerPro Jets	32
Maxx PowerPro	6
PowerPro	3
Mini PowerPro	21
Micro PowerPro	2
Jet Selectors	2
Air Controls	Four, On / Off Pushbutton Type
Total Foot Jet Therapy	6
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)
Lighting	One Underwater LED ProLite with 7 Color Modes + Colored Waterfall
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver
Headrests	3
Waterfall	Includes Flow Rate / On-Off Adjustment; Powered by Pump 1
Electrical Requirements	North American 60 Hz Models: 240 VAC @ 30A, 50A or 60A Export 50 Hz Models: 230-240 VAC @ 20A, 30A, or 40A or suitably rated circuit breaker to comply with local electrical codes. Certain countries may require dual power inputs; two breakers are required for this configuration.
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls
Seating Capacity	6
Audio System (Optional)	AM/FM/CD Stereo Receiver with Dual Pop-Up Speakers



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-360


Jet Selector / Air Control Operation Diagram



Seat Depths

A = 29.00" (73.6cm) **F = 27.50" (69.9cm)**
B = 21.75" (55.2cm) **G = 26.50" (67.3cm)**
C = 27.00" (68.6cm) **H = 33.25" (84.5cm)**
D = 22.75" (57.8cm)
E = 13.75" (34.9cm)


*Listed Dimensions
Represent Distance from
Top of Acrylic to Lowest
Point In Seat.*



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-350


Dimensions	84" x 84" x 36" (213 cm x 213 cm x 91 cm)
Dry Weight	822 lbs (373 kg)
Filled Weight	3,611 lbs (1,638 kg)
Water Capacity (Avg. Fill)	336 US gallons (1,272 Liters)
Electronic Controls	Solid State, LCD User Interface Displays Temperature, Time, Cycles, and Fingertip Jet Control. Offers Customizing of Preprogrammed Filtration Cycles and Water Temperature Setting.
Pump 1	2-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 2	1-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 3	N/A
Circulation Pump	Programmable for Daily Start Time and Duration
Total PowerPro Jets	27
Maxx PowerPro	5
PowerPro	4
Mini PowerPro	18
Micro PowerPro	N/A
Jet Selectors	2
Air Controls	Four, On / Off Pushbutton Type
Total Foot Jet Therapy	2
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)
Lighting	One Underwater LED ProLite with 7 Color Modes + Colored Waterfall
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver
Headrests	4
Waterfall	Includes Flow Rate / On-Off Adjustment; Powered by Pump 1
Electrical Requirements	North American 60 Hz Models: 240 VAC @ 30A, 50A or 60A Export 50 Hz Models: 230-240 VAC @ 20A, 30A, or 40A or suitably rated circuit breaker to comply with local electrical codes. Certain countries may require dual power inputs; two breakers are required for this configuration.
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls
Seating Capacity	4-5
Audio System (Optional)	AM/FM/CD Stereo Receiver with Dual Pop-Up Speakers



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-350

Jet Selector / Air Control Operation Diagram




Seat Depths

A = 25.5" (64.8cm)
B = 24.0" (60.1cm)
C = 28.5" (72.4cm)
D = 23.0" (58.4cm)
E = 27.5" (69.9cm)

F = 19.8" (50.2cm)
G = 27.0" (58.6cm)
H = 25.8" (65.4cm)
I = 34.0" (86.4cm)

Listed Dimensions
Represent Distance from
Top of Acrylic to Lowest
Point In Seat.



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-340


Dimensions	91" x 84" x 38" (231 cm x 213 cm x 97 cm)
Dry Weight	887 lbs (402 kg)
Filled Weight	3,991 lbs (1,810 kg)
Water Capacity (Avg. Fill)	374 US gallons (1,416 Liters)
Electronic Controls	Solid-State Electronic Controls with LED Readout, Programmable Temperature, Filtration, and Heat Cycles
Pump 1	2-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 2	1-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 3	N/A
Circulation Pump	24-hour
Total PowerPro Jets	25
Maxx PowerPro	3
PowerPro	4
Mini PowerPro	18
Micro PowerPro	N/A
Jet Selectors	1
Air Controls	Four, On / Off Pushbutton Type
Total Foot Jet Therapy	4
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)
Lighting	Underwater with Two Colored Lenses
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver
Headrests	4
Waterfall	Includes Flow Rate / On-Off Adjustment; Powered by Pump 1
Electrical Requirements	North American 60 Hz Models: 240 VAC @ 30A or 50A Export 50 Hz Models: 230-240 VAC @ 20A or 30A or suitably rated circuit breaker to comply with local electrical codes.
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls
Seating Capacity	6
Audio System (Optional)	AM/FM/CD Stereo Receiver with Dual Pop-Up Speakers



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-340


Jet Selector / Air Control Operation Diagram



Seat Depths

- A = 25.00" (63.5cm)
- B = 23.25" (59.1cm)
- C = 28.00" (71.1cm)
- D = 22.50" (57.2cm)
- E = 27.00" (68.6cm)
- F = 19.25" (48.9cm)
- G = 26.50" (67.3cm)
- H = 25.25" (64.1cm)
- I = 33.50" (85.1cm)


Listed Dimensions
Represent Distance from
Top of Acrylic to Lowest
Point In Seat.



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-330


Dimensions	84" x 84" x 36" (213 cm x 213 cm x 91 cm)
Dry Weight	781 lbs (354 kg)
Filled Weight	3,752 lbs (1,702 kg)
Water Capacity (Avg. Fill)	358 US gallons (1,355 Liters)
Electronic Controls	Solid-State Electronic Controls with LED Readout, Programmable Temperature, Filtration, and Heat Cycles
Pump 1	2-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 2	N/A
Pump 3	N/A
Circulation Pump	24-Hour
Total PowerPro Jets	24
Maxx PowerPro	N/A
PowerPro	4
Mini PowerPro	16
Micro PowerPro	4
Jet Selectors	1
Air Controls	Three, On / Off Pushbutton Type
Total Foot Jet Therapy	N/A
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)
Lighting	Underwater with Two Colored Lenses
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver
Headrests	4
Waterfall	Includes Flow Rate / On-Off Adjustment; Powered by Pump 1
Electrical Requirements	North American 60 Hz Models: 240 VAC @ 30A or 50A Export 50 Hz Models: 230-240 VAC @ 20A or 30A or suitably rated circuit breaker to comply with local electrical codes.
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls
Seating Capacity	5
Audio System	N/A



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-330


Jet Selector / Air Control Operation Diagram



Seat Depths

A = 26.50" (67.3cm)	F = 19.75" (50.2cm)
B = 24.00" (60.1cm)	G = 27.00" (68.6cm)
C = 28.75" (73.0cm)	H = 34.00" (86.4cm)
D = 23.00" (58.4cm)	
E = 27.50" (69.9cm)	

Listed Dimensions Represent Distance from Top of Acrylic to Lowest Point In Seat.



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-320

Dimensions	76" x 84" x 34" (193 cm x 213 cm x 86 cm)
Dry Weight	738 lbs (335 kg)
Filled Weight	3,386 lbs (1,536 kg)
Water Capacity (Avg. Fill)	319 US gallons (1,207 Liters)
Electronic Controls	Solid-State Electronic Controls with LED Readout, Programmable Temperature, Filtration, and Heat Cycles
Pump 1	2-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 2	N/A
Pump 3	N/A
Circulation Pump	24-Hour
Total PowerPro Jets	15
Maxx PowerPro	N/A
PowerPro	11
Mini PowerPro	4
Micro PowerPro	N/A
Jet Selectors	1
Air Controls	Three, On / Off Pushbutton Type
Total Foot Jet Therapy	2
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)
Lighting	Underwater with Two Colored Lenses
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver
Headrests	4
Waterfall	Includes Flow Rate / On-Off Adjustment; Powered by Pump 1
Electrical Requirements	North American 60 Hz Models: 240 VAC @ 30A or 50A Export 50 Hz Models: 230-240 VAC @ 20A or 30A or suitably rated circuit breaker to comply with local electrical codes.
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls
Seating Capacity	4
Audio System	N/A



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-320


Dimensions	76" x 84" x 34" (193 cm x 213 cm x 86 cm)
Dry Weight	738 lbs (335 kg)
Filled Weight	3,386 lbs (1,536 kg)
Water Capacity (Avg. Fill)	319 US gallons (1,207 Liters)
Electronic Controls	Solid-State Electronic Controls with LED Readout, Programmable Temperature, Filtration, and Heat Cycles
Pump 1	2-Speed, 4.2 hp Brake, 2.5 hp Continuous
Pump 2	N/A
Pump 3	N/A
Circulation Pump	24-Hour
Total PowerPro Jets	15
Maxx PowerPro	N/A
PowerPro	11
Mini PowerPro	4
Micro PowerPro	N/A
Jet Selectors	1
Air Controls	Three, On / Off Pushbutton Type
Total Foot Jet Therapy	2
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)
Lighting	Underwater with Two Colored Lenses
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver
Headrests	4
Waterfall	Includes Flow Rate / On-Off Adjustment; Powered by Pump 1
Electrical Requirements	North American 60 Hz Models: 240 VAC @ 30A or 50A Export 50 Hz Models: 230-240 VAC @ 20A or 30A or suitably rated circuit breaker to comply with local electrical codes.
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls
Seating Capacity	4
Audio System	N/A



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-320


Jet Selector / Air Control Operation Diagram



Seat Depths

- A = 27.00" (68.6cm)** **F = 31.25" (79.4cm)**
B = 27.25" (69.2cm)
C = 25.75" (65.4cm)
D = 21.50" (54.6cm)
E = 28.00" (71.1cm)


Listed Dimensions Represent Distance from Top of Acrylic to Lowest Point In Seat.



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-310


Dimensions	76" x 66" x 32" (193 cm x 168 cm x 81 cm)
Dry Weight	640 lbs (290 kg)
Filled Weight	2,283 lbs (1,036 kg)
Water Capacity (Avg. Fill)	198 US gallons (749 Liters)
Electronic Controls	Solid-State Electronic Controls with LED Readout, Programmable Temperature, Filtration, and Heat Cycles
Pump 1	2-Speed, 2.0 hp Brake, 1.5 hp Continuous
Pump 2	N/A
Pump 3	N/A
Circulation Pump	24-Hour
Total PowerPro Jets	13
Maxx PowerPro	N/A
PowerPro	7
Mini PowerPro	6
Micro PowerPro	N/A
Jet Selectors	1
Air Controls	Two, On / Off Pushbutton Type
Total Foot Jet Therapy	2
Water Management System	Two 60 ft ² Filter Cartridges; Filter 1 on 24-Hour Circulation Pump; Filter 2 on 2-Speed Pump 1; Ready for Optional CD Ozone Generator (Built-in Ozone Dispersion Chamber Included in Spa)
Lighting	Underwater with Two Colored Lenses
Cabinet	Redwood/Cedar with Coastal, Sierra, or No Stain; Optional UV Resistant Synthetic Plastic Cabinet with Embossed Red or Gray Wood Grain
Acrylic Colors	Textured Bluegrass, Jade, Marine, Onyx, Sahara, or Sand; Marbled Emerald, Platinum, or Sapphire; Solid Azure or Silver
Headrests	3
Waterfall	Includes Flow Rate / On-Off Adjustment; Powered by Pump 1
Electrical Requirements	North American 60 Hz Models: 120 VAC @ 15A or 240 VAC @ 30A or 40A Export 50 Hz Models: 230-240 VAC @ 20A or 30A or suitably rated circuit breaker to comply with local electrical codes.
Warranty	North American 60 Hz Models: 10 Years Shell, 7 Years Shell Surface, 5 Years for Plumbing Component Leaks, 5 Years Equipment & Controls; Export 50 Hz Models: 2 Years Plumbing Component Leaks, 2 Years Equipment & Controls
Seating Capacity	3
Audio System	N/A



Dimensions/Specifications Subject to Change Without Notice

Jacuzzi Premium J-310


Jet Selector / Air Control Operation Diagram



Seat Depths

- A = 26.50" (67.3cm)
- B = 28.00" (71.1cm)
- C = 27.00" (68.6cm)
- D = 28.00" (71.1cm)
- E = 27.75" (70.5cm)

Listed Dimensions Represent Distance from Top of Acrylic to Lowest Point In Seat.




Dimensions/Specifications Subject to Change Without Notice

Detailed Dimensions - All Models


SPA MODEL	DIMENSIONS A - E				
	A	B	C	D	E
J-380	94" (238.8cm)	94" (238.8cm)	31.75" (80.6cm)	38" (96.5cm)	66.75" (169.5cm)
J-370	91" (231.1cm)	91" (231.1cm)	31.75" (80.6cm)	38" (96.5cm)	64.50" (163.8cm)
J-360	84" (213.4cm)	91" (231.1cm)	31.75" (80.6cm)	38" (96.5cm)	64.50" (163.8cm)
J-350	84" (213.4cm)	84" (213.4cm)	30.00" (76.2cm)	36" (91.4cm)	57.50" (146.1cm)
J-340	84" (213.4cm)	91" (231.1cm)	31.75" (80.6cm)	38" (96.5cm)	64.50" (163.8cm)
J-330	84" (213.4cm)	84" (213.4cm)	29.75" (75.6cm)	36" (91.4cm)	57.50" (146.1cm)
J-320	84" (213.4cm)	76" (193.0cm)	28.00" (71.1cm)	34" (86.4cm)	50.25" (127.6cm)
J-310	66" (167.6cm)	76" (193.0cm)	26.00" (66.0cm)	32" (81.3cm)	49.63" (126.1cm)
	DIMENSIONS F - J				
	F	G	H	I	J
J-380	N/A	N/A	38.00" (96.5cm)	5.00" (12.7cm)	67.50" (171.5cm)
J-370	N/A	N/A	32.50" (82.6cm)	7.00" (17.8cm)	64.50" (163.8cm)
J-360	N/A	N/A	37.50" (95.3cm)	10.00" (25.4cm)	57.50" (146.1cm)
J-350	N/A	N/A	32.50" (82.6cm)	8.00" (20.3cm)	57.50" (146.1cm)
J-340	N/A	N/A	34.50" (87.6cm)	8.00" (20.3cm)	57.63" (146.4cm)
J-330	28.00" (71.1cm)	5.50" (14.0cm)	N/A	N/A	57.50" (146.1cm)
J-320	N/A	N/A	28.00" (71.1cm)	6.00" (15.2cm)	57.38" (145.7cm)
J-310	34.00" (86.4cm)	9.00" (22.9cm)	N/A	N/A	39.63" (100.7cm)

- Dimensions Subject to Change Without Notice -


Spa Top View (J-380 Illustrated)



Control Panel Side View (All Models)




*Bottom Conduit Port Access Dimensions - Optional




*Drill Hole "Here" Location for Bottom Conduit Access Through Plastic Pan. Note: Dimensions G & I Are from Front Edge of Spa Frame on Main Control Panel Side.

Spa Bottom View



Left / Right Side View (All Models)



Notes:

Notes:

Jacuzzi® Premium
14525 Monte Vista Ave. • Chino, CA 91710
Website: <http://www.jacuzzipremium.com>